

Certificate of Analysis

BOLDENPEAK CORP




Sample Name:	FLINT	Eurofins Sample:	[REDACTED]
Project ID	BOLDENPEAK [REDACTED]	Receipt Date	05-Jan-2026
PO Number	[REDACTED]	Receipt Condition	Ambient temperature
Lot Number	69395	Login Date	03-Jan-2026
Sample Serving Size	2 Tab	Date Started	06-Jan-2026
Description	TR1 [REDACTED] B [REDACTED] BEST BY: 07-2027	Sampled	Sample results apply as received
		Online Order	[REDACTED]

Analysis	Result	Specifications	Pass/Fail
Amazon 3rd Party COA Received *			
3rd Party COA Received	Yes		
Amazon Certification *			
Microbiological	Pass		
Overall Certification	Pass		
Pathogens	Pass		
Label Review	Pass		
Content Claims	Pass		
Adulterants	Pass		
Contaminants	Pass		
GMP Certification	Pass		
Calculated Sample Weight *			
Entity Weight	1.6229 g		
Elements by ICP Emission Spectrometry (ICP-OES) *			
Boron	1.09 mg/Serving Size	1 mg/Serving Size	Pass
Targeted Analysis of Sexual Enhancement Adulterants			
Acetaminotadalafil	Not Detected.		
Acetildenafil	Not Detected.		
Acetylvardenafil	Not Detected.		
Aildenafil	Not Detected.		
Aminotadalafil	Not Detected.		
Avanafil	Not Detected.		
Benzamidenafil	Not Detected.		
Benzylsildenafil	Not Detected.		
N-Butylnortadalafil	Not Detected.		
Carbodenafil	Not Detected.		



Certificate of Analysis

BOLDENPEAK CORP




Sample Name:	FLINT	Eurofins Sample:	
Project ID	BOLDENPEAK	Receipt Date	05-Jan-2026
PO Number		Receipt Condition	Ambient temperature
Lot Number	69395	Login Date	03-Jan-2026
Sample Serving Size	2 Tab	Date Started	06-Jan-2026
Description	TR1 B BEST BY: 07-2027	Sampled	Sample results apply as received
		Online Order	

Analysis	Result	Specifications	Pass/Fail
Targeted Analysis of Sexual Enhancement Adulterants			
Chlordenafil	Not Detected.		
Chloropretadalafil	Not Detected.		
Dapoxetine	Not Detected.		
N-Desethylvaridenafil	Not Detected.		
N-Desmethylsildenafil	Not Detected.		
Dimethylacetildenafil	Not Detected.		
Gendenafil	Not Detected.		
Gisadenafil	Not Detected.		
Homosildenafil	Not Detected.		
Hydroxyacetildenafil	Not Detected.		
Hydroxychlorodenafil	Not Detected.		
Hydroxyhomosildenafil	Not Detected.		
2-Hydroxypropylnortadalafil	Not Detected.		
Hydroxythiohomosildenafil	Not Detected.		
Hydroxythiovaridenafil	Not Detected.		
Hydroxyvaridenafil	Not Detected.		
Imidazosagatriazinone	Not Detected.		
Lodenafil carbonate	Not Detected.		
Mirodenafil	Not Detected.		
Nitrodenafil	Not Detected.		
Noracetildenafil	Not Detected.		
Norneosildenafil	Not Detected.		
Norneovardenafil	Not Detected.		
Nortadalafil	Not Detected.		
N-Octylnortadalafil	Not Detected.		

Certificate of Analysis

BOLDENPEAK CORP



Sample Name:	FLINT	Eurofins Sample:	
Project ID	BOLDENPEAK	Receipt Date	05-Jan-2026
PO Number		Receipt Condition	Ambient temperature
Lot Number	69395	Login Date	03-Jan-2026
Sample Serving Size	2 Tab	Date Started	06-Jan-2026
Description	TR1 B BEST BY: 07-2027	Sampled	Sample results apply as received
		Online Order	


Analysis	Result	Specifications	Pass/Fail
Targeted Analysis of Sexual Enhancement Adulterants			
Piperacetildenafil	Not Detected.		
Propoxyphenylhomohydroxysildenafil	Not Detected.		
Propoxyphenylsildenafil	Not Detected.		
Propoxyphenylthiohydroxyhomosildenafil	Not Detected.		
Pseudovardenafil	Not Detected.		
Sildenafil	Not Detected.		
Tadalafil	Not Detected.		
Thioildenafil (Sulfoildenafil)	Not Detected.		
Thiohomosildenafil	Not Detected.		
Thiosildenafil	Not Detected.		
Udenafil	Not Detected.		
Vardenafil	Not Detected.		
The reporting limit for each PDE5 inhibitor is 50 ppm in matrix.	-		
Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) *			
Enterobacterial Count	<10 MPN /g	<= 10000 /g	
Preparatory Testing of Nutritional and Dietary Supplements *			
Bile-Tolerant Gram-Neg Bacteria Suitability Result	PASS		
Non-Testable Claims *			
Comments and Conclusions			

Eurofins may be unable to meet the minimum test requirement as certain ingredients in this product have no scientifically valid methods available. Per Amazon policy, some of the ingredients are exempt from quantitative analysis.

Photo *

Certificate of Analysis

BOLDENPEAK CORP




Sample Name:	FLINT	Eurofins Sample:	[REDACTED]
Project ID	BOLDENPEAK [REDACTED]	Receipt Date	05-Jan-2026
PO Number	[REDACTED]	Receipt Condition	Ambient temperature
Lot Number	69395	Login Date	03-Jan-2026
Sample Serving Size	2 Tab	Date Started	06-Jan-2026
Description	TR1 [REDACTED] B [REDACTED] BEST BY: 07-2027	Sampled	Sample results apply as received
		Online Order	[REDACTED]

Analysis	Result	Specifications	Pass/Fail
Photo * Packaging - Front			



Certificate of Analysis

BOLDENPEAK CORP



Sample Name:	FLINT	Eurofins Sample:	
Project ID	BOLDENPEAK 	Receipt Date	05-Jan-2026
PO Number		Receipt Condition	Ambient temperature
Lot Number	69395	Login Date	03-Jan-2026
Sample Serving Size	2 Tab	Date Started	06-Jan-2026
Description	TR1  B 	Sampled	Sample results apply as received
	BEST BY: 07-2027	Online Order	

Analysis	Result	Specifications	Pass/Fail
Photo *			

Method References

Testing Location

Amazon 3rd Party COA Received (AMZ_3COA)

Food Integrity Innovation-Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Amazon Certification (AMZN_CERT)

Food Integrity Innovation-Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Calculated Sample Weight (PREP)

Food Integrity Innovation-Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Elements by ICP Emission Spectrometry (ICP-OES) (ICP_S)

Food Integrity Innovation-Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Official Methods of Analysis of AOAC INTERNATIONAL, Method 984.27, 985.01, and 2011.14, AOAC INTERNATIONAL, Gaithersburg, MD, USA. (Modified)

Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) (USPN2021)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Non-Testable Claims (AMZN_COMMT)

Food Integrity Innovation-Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Photo (VIS_PHOTO)

Food Integrity Innovation-Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Certificate of Analysis

BOLDENPEAK CORP



Method References

Testing Location

Preparatory Testing of Nutritional and Dietary Supplements (USPN_PT)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Targeted Analysis of Sexual Enhancement Adulterants (PDE52AMZ_S)

Food Integrity Innovation-Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Internally developed LC-MS/MS method for screening and quantification of sexual enhancement adulterants in dietary supplements.

Testing Location(s)

Released on Behalf of Eurofins by

Food Integrity Innovation-Madison

**Edward Ladwig - President Eurofins Food
Chemistry Testing Madison**

Eurofins Food Chemistry Testing Madison, Inc.
6304 Ronald Reagan Ave
Madison WI 53704
800-675-8375



2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.



GFSI-Benchmarked Standard
SQF Code Edition 9: FSC 31
Dietary Supplements Manufacturing

CERTIFICATE OF ANALYSIS

Manufactured For: BOLDENPEAK CORP **Brand:** CLARVA™ **Label Name:** FLINT
Customer Master Batch Lot Number: 69395
Invoice Number: [REDACTED]
Date Manufactured: 07/2025 **Expiration Date:** 07/2027
Product Code: T-LGT01
Product Appearance: 0.85" x 0.33" light brown oblong tablet with a clear coating ; **Result:** Passed
Actual Weight: 1604.00 mg **Target Weight:** 1575.00 mg **Weight Range:** 1528.00 - 1622.00 mg **Method:** Current USP
Disintegration Time: [REDACTED] **Specification:** <1 hour **Result:** <1 hour **Method:** Current USP
Serving Size: 2 tablets
Reference: GMP-01; [REDACTED]

COMMENTS

DIETARY INGREDIENTS

Active Ingredient Name	Label Claim (per 2 tablets)	Result	% of Label Claim	Spec	Test Method
Zinc (as zinc oxide)	50.00 mg	50.00 mg	100.00	100-150%	†ICP
Tongkat Ali Root Powder (<i>Eurycoma longifolia</i>)	500.00 mg	500.00 mg	100.00	NLT 100%	**ID by TLC
Maca Root (0.6% extract)	250.00 mg	250.00 mg	100.00	NLT 100%	**ID by TLC
L-Arginine HCl	500.00 mg	500.00 mg	100.00	100-150%	†HPLC
<i>Panax ginseng</i> Root Extract	67.50 mg	67.50 mg	100.00	NLT 100%	**ID by UV
<i>Eleutherococcus senticosus</i> Root Extract	67.50 mg	67.50 mg	100.00	NLT 100%	**ID by HPTLC

Active Ingredient Name	Label Claim (per 2 tablets)	Result	% of Label Claim	Spec	Test Method
Proprietary Blend Consisting of: Sarsaparilla Root Powder, Pumpkin Seed Powder, Muira Puama Bark 4:1 Extract, Oat Straw 5:1 Extract, Stinging Nettle Leaf 5:1 Extract, Cayenne Pepper Fruit (40M HU/g), Astragalus Root 4:1 Extract, Licorice Root 4:1 Extract, Catuaba Bark Powder, <i>Tribulus terrestris</i> Fruit Powder, Orchic Powder, Boron 5% (boron amino acid chelate), and Oyster 4:1 Extract	838.00 mg	838.00 mg	100.00	NLT 100%	**

OTHER INGREDIENTS

Microcrystalline cellulose
Vegetable stearic acid
Calcium carbonate
Vegetable magnesium stearate
Croscarmellose sodium
Hydroxypropyl methylcellulose
Silicon dioxide

REQUIRED ALLERGEN WARNINGS

Eggs: No **Fish:** No **Milk:** No **Peanuts:** No
Porcine: No **Sesame:** No **Shellfish:** **Yes** **Soy:** No
Tree Nuts: No **Wheat:** No

HEAVY METALS

Type of Heavy Metal	Limits	Results	Test Method
Lead	< 2.75 mcg	0.274 mcg / 1 Tablet	AOAC 993.14
Arsenic	< 10 mcg	0.147 mcg / 1 Tablet	AOAC 993.14
Cadmium	< 4.1 mcg	0.177 mcg / 1 Tablet	AOAC 993.14
Mercury	< 3 mcg	0.002 mcg / 1 Tablet	AOAC 993.14

MICROBIOLOGY

Microbial Test	Limits	Results	Test Method
Standard Plate Count	< 100,000 cfu / g	<10 cfu/g	USP<2021>
Coliform	< 1,000 cfu / g	<1,000 cfu/g	USP<2021>
Yeast and Mold	< 1,000 cfu / g	<100 cfu/g	USP<2021>
E. coli	Negative	Negative	USP<2022>
Salmonella	Negative	Negative	USP<2022>
Staphylococcus aureus	Negative	Negative	USP<2022>

SIGNATURE


APPROVED
BY:



DATE: 12/12/2025

*** - In Accordance with 21 CFR 111.75(d)(1) the following finished dietary ingredients product specifications are exempt from direct finished batch testing requirements as set forth in paragraph 21 CFR 111.75(c)(1). Possible exemption reasons include: instrumental quantification limits, unavailability of a scientifically valid test method, matrix interference, and the lack of biomarkers. These ingredients are confirmed by proper raw material identification, verified by production process controls, and QA batch record review and approval to ensure finished product meets all approved MMR in-process specifications.*

† - This Lot is a part of a rotational statistical testing program in accordance with 21CFR 111.75(c) for a subset of finished dietary supplement batches manufactured. Marked ingredients were not included in this rotation. These ingredients are confirmed by proper raw material identification, verified by production process controls and QA batch record review and approval to ensure finished product meets all approved MMR in-process specifications. Ref: SOP No. QC-3.



CERTIFICATE OF ANALYSIS SUMMARY

PRODUCT SPECIFICATION

PRODUCT	CLARVA - FLINT
TOTAL COUNT	60 TABLETS
TOTAL SERVINGS	30 SERVINGS
SERVING SIZE	2 TABLETS
FORM	CLEAR-COATED
SIZE	0.85" x 0.33"

QUALITY CHECKS

✓ Appearance	Passed
✓ Disintegration	< 1 hour
✓ Tablet Weight	Meets spec

QUALITY STANDARDS



Induction Seal + Shrink Band



Third-Party Lab Tested



Sourced from a GMP Certified Facility



Manufactured in an FDA Registered Facility

FORMULA QA VERIFICATION

PASSED

Label Claim Check



Ingredient Identity Check



Formula Spec Check



MICROBIOLOGY

PASSED

Standard Plate Count



Coliform



Yeast & Mold



E. coli



Salmonella



Staphylococcus aureus



HEAVY METALS

PASSED

Lead



Arsenic



Cadmium



Mercury



● = Passed (Within Limits)

COA summary shown. Finished product COA on file.